

Perfect

Lawn Mowers





Company Profile

Perfect Group of companies was established in 1986 with a view to cater Service to the vast field of Engineering Industries all over the globe.

Today Perfect Group has grown as one of the largest business houses Capable of offering all Engineering products & its allied equipments for various industries.

The company, being managed by The Perfect Group for over a span of 2 decades with through professional experience has expanded in multiple fields with latest technology for manufacturing, Trading & Exporting of Product & service like: Shot Blasting, Forging Machines, Casting Machines, Reduction Gear Box, Lawn Mowers, Garden Tools & other Engineering Allied Equipments respectively.

Our Motto is to supply & serve our customer in the best, having the Privilege to deal in all Engineering products & services under one roof with all kinds of facilities, complete after sale service.

It is a matter of pride for the company that our chairman Sh. Ram Murti Sembhi has also been a pioneer in the field of food products. He is the man who for the first time installed an Automatic Biscuit making plant in the country in the year 1965 under the trademark name of M/s. Sembhi Industries.

Furthermore, for all the above, we thank our Customers all over the globe who have made this possible, and we look to their unrestrained support. We have a vision to expand our business and we look forward to the participation of our representatives and customers by adopting innovative approach and by invading the market with their positive thinking and entrepreneurial skills. In this age of globalization we can create a room for ourselves by launching new products and by bringing about qualitative improvement. We shall earnestly hope that we shall get unflinching support from every corner and from every association that we shall develop.

Our endeavour will be build relationship through quality and economy.

PERFECT GROUP OF COMPANIES

(RAM MURTI SEMBHI)



Ram Murti Sembhi
Chairman



Manjit Singh
Partner



Hardeep Singh
Partner

Perfect Step for Leading technology



A Message

We have great pleasure in presenting this manual to you.

This manual contains typical and average data our products

In case you desire to have a personal dialogue pertaining to our products or any other requirement, please feel free to contact us.



Perfect

GROUP OF INDUSTRIES



'HERO' WHEEL TYPE MOWER (Cast Iron)

(Sizes Available 10", 12", 14", 16" & 18")

| | |
|---------------------------|---|
| Frame Type | : Specially C.I. Casted Heavy Duty |
| Wheels | : Specially C.I. Casted Heavy Duty with Extra Fine Quality |
| Tyres | : Fitted on Wheels made of Special Quality Rubber |
| Carriages | : Specially made from S.G. Iron Casting |
| Drive | : Through Gear and Pinion |
| Handle | : Made from C.R. Tubular Steel Moveable Type Fitting With Soft Rubber Grips |
| Bottom Blade | : Made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked |

'HERO' STEEL BODY WHEEL TYPE MOWER

(Sizes Available 10", 12", 14", 16" & 18")

| | |
|---------------------------|---|
| Frame Type | : Specially Steel Frame Heavy Duty made of C.R. Sheet. |
| Wheels | : Specially C.I. Casted Heavy Duty with Extra Fine Quality |
| Tyres | : Fitted on Wheels made of Special Quality Rubber |
| Carriages | : Specially made from S.G. Iron Casting |
| Drive | : Through Gear and Pinion |
| Handle | : Made from C.R. Tubular Steel Moveable Type Fitting With Soft Rubber Grips |
| Bottom Blade | : Made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked |





'BABY HERO' WHEEL TYPE MOWER (Cast Iron)

(Size Available 6")

| | |
|--------------------|---|
| Frame Type | : C.I. Casted Heavy Duty |
| Wheels | : C.I. Casted Heavy Duty with Extra Fine Quality |
| Tyres | : Fitted on Wheels made of Special Quality Rubber |
| Carriages | : Specially made from S.G. Iron Casting |
| Drive | : Through Gear and Pinion |
| Handle | : Made from C.R. Tubular Steel Moveable Type Fitting With Soft Rubber Grips |
| Bottom Blade | : Made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked |

'BABY HERO' STEEL BODY WHEEL TYPE MOWER

(Sizes Available 6")

| | |
|--------------------|---|
| Frame Type | : Steel Frame Heavy Duty made of C.R. Sheet. |
| Wheels | : C.I. Casted Heavy Duty with Extra Fine Quality |
| Tyres | : Fitted on Wheels made of Special Quality Rubber |
| Carriages | : Specially made from S.G. Iron Casting |
| Drive | : Through Gear and Pinion |
| Handle | : Made from C.R. Tubular Steel Moveable Type Fitting With Soft Rubber Grips |
| Bottom Blade | : Made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked |





Perfect

GROUP OF INDUSTRIES



'GOLF KING' ROLLER TYPE MOWER


(Size Available 12", 14", 16", 18" 20" & 24")

| | |
|--------------------|---|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Rollers | : C.I. Casted Heavy Duty large rollers anti-skid type. |
| Carriages | : Specially made from Steel |
| Drive | : Drive through sprocket & chain. |
| Handle | : Made from C.R. Tubular Steel adjustable Type Fitting. |
| Bottom Blade | : Made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked. |
| Draw Bar | : Available with 18", 20" & 24" |

'BIG BOY' ZERO CUT ROLLER TYPE MOWER

(Size Available 12" 14" 16" 18" 20" & 24")

| | |
|--------------------|---|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Rollers | : C.I. Casted Heavy Duty large rollers anti-skid type. |
| Carriages | : Specially made from Steel |
| Drive | : Drive through sprocket & chain. |
| Handle | : Made from C.R. Tubular Steel adjustable Type Fitting. |
| Bottom Blade | : Made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Ten blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked. |
| Draw Bar | : Available with 18", 20" & 24" |





Perfect

GROUP OF INDUSTRIES



'GOLF KING' ELECTRO ROLLER TYPE MOWER

(Size Available 16")

| | |
|--------------------|---|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Electric Motor | : 1 H.P. Single Phase 1440 RPM Crompton made. |
| Clutch | : Belt Clutch operated by the lever on the top the handle, helps the operator to stop & run v-belts with main pulley for running the mower. |
| Rollers | : Specially C.I. Casted Heavy Duty large rollers anti-skid type. |
| Carriages | : Specially made from Steel |
| Drive | : Drive through sprocket & chain. |
| Handle | : Made from C.R. Tubular Steel adjustable Type Fitting. |
| Bottom Blade | : Made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked. |

GOLF KING ROLLER TYPE POWER MOWER MK-12 ENGINE

(Size Available 16")

| | |
|--------------------|--|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Engine | : Grease Mk12, 1.8 B.H.P. Petrol/Kerosine Engine. |
| Clutch | : Belt Clutch operated by the lever on the top of the handle, helps the operator to stop & run v-belts with main pulley for running the mower. |
| Rollers | : Fitting on Wheels made of Special Quality Rubber |
| Carriages | : Specially made from Steel |
| Drive | : Drive through sprocket & chain. |
| Handle | : Made from C.R. Tubular Steel adjustable Type Fitting. |
| Bottom Blade | : Heavy Duty made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked. |





Perfect

GROUP OF INDUSTRIES



Also
available in
10 Blade
Cutting
Cylinder

'LAWN TIGER' ELECTRO ROLLER TYPE MOWER

(Size Available 20" & 24")

| | |
|--------------------|--|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Electric Motor | : 1 H.P. Single Phase 1440 RPM Crompton made. |
| Clutch | : Belt Clutch operated by the lever on the top of the handle, helps the operator to stop & run v-belts with main pulley for running the mower. |
| Rollers | : Fitted on Wheels made of Special Quality Rubber |
| Carriages | : Fitted with double ball bearings for smooth running. |
| Drive | : Specially made from steel |
| Handle | : Drive through v-belt sprocket & chain |
| Bottom Blade | : Made from C.R. Tubular Steel adjustable Type Fitting. |
| Grass Box | : Heavy Duty made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Cutting Cylinder | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Adjustment | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Paint | : Cutting height can be adjusted upto 2" height. |
| | : Liquid Paint oven baked. |

'LAWN TIGER' ROLLER TYPE POWER MOWER MK-12 ENGINE

(Size Available 20" & 24")

| | |
|--------------------|--|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Engine | : MK-12 1.8 H.P. Petrol Start, Kerosine running Engine. |
| Clutch | : Belt Clutch operated by the lever on the top of the handle, helps the operator to stop & run v-belts with main pulley for running the mower. |
| Rollers | : Specially C.I. Casted Heavy Duty large rollers anti-skid type. |
| Carriages | : Specially made from Steel |
| Drive | : Drive through sprocket & chain. |
| Handle | : Made from Steel adjustable Type Fitting. |
| Bottom Blade | : Made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Ten blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked |



10 Blade
Cutting
Cylinder



Perfect

GROUP OF INDUSTRIES



ELECTRO LAWN HERO WHEEL TYPE MOWER

(Size Available 20")

| | |
|--------------------|--|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Electric Motor | : 1 H.P. Single Phase 1440 RPM Crompton made. |
| Clutch | : Belt Clutch operated by the lever on the top of the handle, helps the operator to stop & run v-belts with main pulley for running the mower. |
| Tyre | : Fitted on Wheels made of Special Quality Rubber |
| Wheels | : Fitted with double ball bearings for smooth running. |
| Carriages | : Specially made from steel |
| Drive | : Drive through v-belt Sprocket & chain |
| Handle | : Made from C.R. Tubular Steel adjustable Type Fitting. |
| Bottom Blade | : Heavy Duty made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked. |

LAWN HERO WHEEL TYPE POWER MOWER

(Size Available 20")

| | |
|--------------------|--|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Engine | : Grease Mk12, 1.8 B.H.P. Petrol/Kerosene Engine. |
| Clutch | : Belt Clutch operated by the lever on the top of the handle, helps the operator to stop & run v-belts with main pulley for running the mower. |
| Tyre | : Fitted on Wheels made of Special Quality Rubber. |
| Wheels | : Fitted with double ball bearings for smooth running. |
| Carriages | : Specially made from steel |
| Drive | : Drive through V-Belt & Sprocket & Chain |
| Handle | : Made from C.R. Tubular Steel adjustable Type Fitting. |
| Bottom Blade | : Heavy Duty made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo. |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked. |





Perfect

GROUP OF INDUSTRIES



ELECTRO BABY HERO WHEEL TYPE MOWER

(Size Available 12")

| | |
|--------------------|--|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Engine | : 1 H.P. Single Phase 1440 RPM Crompton made. |
| Clutch | : Belt Clutch operated by the lever on the top of the handle, helps the operator to stop & run v-belts with main pulley for running the mower. |
| Tyre | : Fitting on Wheels made of Special Quality Rubber |
| Wheels | : Fitted with double ball bearings for smooth running. |
| Carriages | : Specially made from Steel |
| Drive | : Drive through V Belt & sprocket & chain. |
| Handle | : Made from C.R. Tubular Steel adjustable Type Fitting. |
| Bottom Blade | : Heavy Duty made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked. |

'RHINO' CHAIN DRIVE WHEEL TYPE MOWER

(Size Available 12", 14" & 16")

| | |
|--------------------|--|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Tyre | : Fitted on Wheels made of Special Quality Rubber. |
| Wheels | : Fitted with double ball bearings for smooth running. |
| Carriages | : Specially made from Steel |
| Drive | : Drive through Sprocket & Chain. |
| Handle | : Made from C.R. Tubular Steel adjustable Type Fitting. |
| Bottom Blade | : Heavy Duty made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo. |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked. |





Perfect

GROUP OF INDUSTRIES



PARAM POWER ROLLER TYPE MOWER

(Size Available 20", 24" & 30")

| | |
|--------------------|--|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Engine | : Greves 1523 No., 1500 R.P.M., 4.8 B.H.P. Diesel Engine. |
| Clutch | : Belt Clutch operated by the lever on the top of the handle, helps the operator to stop & run v-belts with main pulley for running the mower. |
| Roller | : Specially C.I. Casting Heavy Duty large roller anti-skid type. |
| Carriages | : Specially made from S.G. Iron Casting |
| Drive | : Drive through sprocket & chain. |
| Handle | : Made from Steel adjustable Type Fitting. |
| Bottom Blade | : Heavy Duty made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked. |

PARAM ELECTRO ROLLER TYPE MOWER

(Size Available 20", 24" & 30")

| | |
|--------------------|--|
| Frame Type | : Special Steel contained designed steel cross bars for extra strength. |
| Electric Motor | : 3 H.P. Single Phase 1440 RPM Crompton made. |
| Clutch | : Belt Clutch operated by the lever on the top of the handle, helps the operator to stop & run v-belts with main pulley for running the mower. |
| Roller | : Specially C.I. Casting Heavy Duty large roller anti-skid type. |
| Carriages | : Specially made from Steel. |
| Drive | : Drive through V-Belt & Roller Chain. |
| Handle | : Made from Steel adjustable Type Fitting. |
| Bottom Blade | : Heavy Duty made of Carbon Steel, Specially Grinded for Extra fine Cutting. |
| Grass Box | : Specially pressed made from C.R. Sheet & Punched with Company Logo. |
| Cutting Cylinder | : Carbon steel Six blade fitted with ZZ Ball Bearing dust protected. |
| Cutting Adjustment | : Cutting height can be adjusted upto 2" height. |
| Paint | : Liquid Paint oven baked. |



Spades

Perfect
GROUP OF INDUSTRIES



PS 101 '**PERFECT**'
Digging Spade
with PVC Handle



PS 102 '**PERFECT**'
Digging Spade
with Wooden Handle



PS 103 '**PERFECT**'
Digging Spade
with Tubular Handle



PS 104 '**PERFECT**'
Square Shovels
with Tubular Handle,
Plastic 'D' Grip



PS 105 '**PERFECT**'
Round Shovel
with Tubular Handle,
Steel Hand Grip



PS 106 '**PERFECT**'
Square Shovel
with Wooden Handle
Steel Hand Grip

Shovels

Garden Tools

Perfect
GROUP OF INDUSTRIES



PS 107 'PERFECT'
Digging Fork
with PVC Handle



PS 108 'PERFECT'
Leaf Rake
16T



PS 109 'PERFECT'
Earth Drill
6"



PS 110 'PERFECT'
Earth Drill
3"



PS 111 'PERFECT'
Garden Rake
Available sizes
8, 10, 12, 14, 16 Teeth



PS 112 'PERFECT'
Hand Trowel



PS 113 'PERFECT'
Transplanter



PS 114 'PERFECT'
Hand Fork



PS 115 'PERFECT'
Hand Cultivator



PS 116 'PERFECT'
Weeder

Garden Tools

Perfect
GROUP OF INDUSTRIES



PS 117 'PERFECT'
Dutch Hoe



PS 120 'PERFECT'
Hoe Fork
Two Prong



PS 123 'PERFECT'
Roll Cut



PS 126 'PERFECT'
Draw Hoe



PS 127 'PERFECT'
Roll Cut with sleeve



PS 118 'PERFECT'
Cultivator
Three Prong



PS 121 'PERFECT'
Hoe Fork
Three Prong



PS 124 'PERFECT'
Hedge Shear



PS 128 'PERFECT'
Pruning Secateur



PS 129 'PERFECT'
SHRUB MASTER



PS 119 'PERFECT'
Hoe Trowel



PS 122 'PERFECT'
Khurpa
Size 1, 2, 3 Inches



PS 125 'PERFECT'
Grass Sword



PS 130 'PERFECT'
REMOVE ROLLER'S 400/2

PERFECT





DIYA # 98727-18038