

Dust Extractor

DE – 150 CFM

DE - 150 CFM	
TECHNICAL SPECIFICATION	
Fan Capacity	150 CFM
Filter Type	Bag Filter
Number of Filters	Four
Cleaning Process	Manual
Motor 3 Ph/415-460 V/50-60 Hz	1HP / 3000 RPM
Overall Dimension (L X B X H)	47 X 67 X 70



DE – 300 CFM – SINGLE DRAWER

DE - 300 CFM - SINGLE DRAWER	
TECHNICAL SPECIFICATION	
Fan Capacity	300 CFM
Filter Type	Cartridge Filter
Number of Filters	Four
Cleaning Process	Automatic
Motor 3 Ph/415-460 V/50-60 Hz	2HP / 3000 RPM
Overall Dimension (L X B X H)	80 X 67 X 180



DE – 300 CFM – TWIN DRAWER



DE - 300 CFM - TWIN DRAWER

TECHNICAL
SPECIFICATION

Fan Capacity	300 CFM
Filter Type	Cartridge Filter
Number of Filters	Four
Cleaning Process	Automatic
Motor 3 Ph/415-460 V/50-60 Hz	2HP / 3000 RPM
Overall Dimension (L X B X H)	120 X 67 X 180

DE – DUSTER
DE – DUSTER



SPIRAL DE-DUSTER

TECHNICAL SPECIFICATION

Output / Hour *	250000
Min. Tablet Size	5 mm
Max. Tablet Size	25 mm
Motor 3 Ph/415-460 V/50-60 Hz	0.25HP / 1500 RPM
Overall Dimension (L X B X H)	48 X 48 X 100
Net Weight	55 Kg

ELEVATING DE-DUSTER



ELEVATING DE-DUSTER

TECHNICAL SPECIFICATION

Output / Hour *	350000
Min. Tablet Size	5 mm
Max. Tablet Size	25 mm
Motor	1 Ph / 220 V / 50 Hz
Overall Dimension (L X B X H)	53 X 40 X 140
Net Weight	75 Kg