CEILINGS, DRYWALLS & PLASTERS



Architect's Reference for Ceilings, Partitions and Suspension Systems






- 1. Lay in Ceiling
- 2. Clip in Ceiling
- 3. Open Cell Ceiling

Lay in Ceiling

- Fully demountable
- Easy to replace
- Square tegular to be installed either on Tee Grid 15 mm or Silhouette



Application Areas

Office

Kitchens

Cafeteria

Restrooms

Product Specification

Product Name : GM LAY IN

Code : GM-22-02

Material : Aluminum / GI


Size : 600mmx600mm or customized design
Finish : 2.5 mm Dia holes Standard Perforated,

Plain

Mounting Method : Seated on Channel

Environment of use : Internal

:





Clip in Ceiling

- Can be used with regular clip in tails
- Choice of Aluminum
- Easy to clean
- Choice of dimensions
- Plain monolithic surface
- Minimum plenum clearance

Application Areas

Corridors

Hospitals

Below Service Utilities

Transportation Nodes



Product Specification

Product Name : LD2 CLIP IN

Code : LD-22-01

Material : Aluminum / GI

Size : 2' x 2' or Customised Design
Finish : 2.5 mm Dia holes Standard

Perforated, Plain

Mounting Method : Clip in System

Environment of use : Internal

:





Open Cell Ceiling


GYP-MAXX Open Cell ceilings are the ideal solutions for a whole range of buildings such as, offices, supermarkets, shopping centers and airports where the maximum of light and air are required. Integra Open Cell helps create a space that is once both strikingly open and transparent but also smart functional.

Application Areas

Front Office

Cafeteria

- Acoustic Performance
- Fire and Moisture Resistance
- Easy to install & Demountable



Product Specification

Product Name : GM Open Cell
Code : GM-22-02-01
Material : Aluminum / GI

Size : 600mmx600mm or customized design

Finish : Coated/Painted/Zinc Plated

Mounting Method : Lay in System Environment of use : Internal

GYP-MAXX Open Cell Ceilings

