Weldolet



Weldolet Manufacturer

Sockolet uses the basic Weldolet however the branch affixes by way of a socket inside the olet. The bore matches the outlet bore, and the existence of a counter bore roughly the size of the OD of the outlet provides a socket where the pipe can sit, facilitating installation and welding. The Sockolet is considered a socket fitting, and manufactured in 3000#, 6000# and 9000# classes. weld outlet is the kind of fitting used to make a branch with the smaller size of main pipe. weld outlet usually used in piping with high pressure and temperature where the connection with the joint type buttweld. The use of reinforcing pad is not required on weld outlet

Stainless Steel & Duplex Steel Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000LBS, 6000LBS

Stainless Steel: ASTM A 182 F - 304 / 304H / 304L / 316 / 316H / 316L / 316Ti, 309, 310, 317L,

321, 347, 904L

Duplex Steel: ASTM A 182 - F 51, F 53, F 55

Alloy Steel, Carbon Steel & LTCS Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000LBS

Alloy Steel: ASTM A 182 - F5, F9, F11, F22 & F91

Carbon Steel: ASTM A 105

Low Temp. CS: A 350 LF2

Copper & Nickel Alloys Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000 LBS

Copper Nickel : C70600(90 : 10), C71500(70 : 30),C71640

Nickel: UNS N02200, N02201

Monel: UNS N04400, N05500, Alloy 20

Inconel: UNS N06600, N06601, N06625, N08800, N08810, N08825

Hastelloy: UNS N10276, N06022, N10665, N06455

Sockolet



Sockolet Manufacturer

Nexus Steel leading Sockolet producers. We pride ourselves on being at the front line of development in both product offerings and after deals administrations. This is the reason we will continually update our products and services to meet business sector desires and requests. We are reputed as an excellent quality Sockolet supplier in the business. Sockolet is utilized widely, It is utilized to connect the reinforced fittings. It takes place of traditional connecting ways. The body of Sockolet is made in excellent Forgings.

Stainless Steel & Duplex Steel Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000LBS, 6000LBS

Stainless Steel: ASTM A 182 F - 304 / 304H / 304L / 316 / 316H / 316L / 316Ti, 309, 310, 317L,

321, 347, 904L

Duplex Steel: ASTM A 182 - F 51, F 53, F 55

Alloy Steel, Carbon Steel & LTCS Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000LBS

Alloy Steel: ASTM A 182 - F5, F9, F11, F22 & F91

Carbon Steel: ASTM A 105

Low Temp. CS: A 350 LF2

Copper & Nickel Alloys Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000 LBS

Copper Nickel : C70600(90 : 10), C71500(70 : 30),C71640

Nickel: UNS N02200, N02201

Monel: UNS N04400, N05500, Alloy 20

Inconel: UNS N06600, N06601, N06625, N08800, N08810, N08825

Hastelloy: UNS N10276, N06022, N10665, N06455

Elbolet



Elbolet Manufaturer

We are dedicatedly possessed in offering a wide range of Elbolet our important clients. By experienced experts, offered items are outlined and fabricated in strict consistence with the set business standards.

These items are broadly demanded and appreciated among the customers for their elements such fine complete and durable development. Customers can avail these tough and solid items from us in an assortment of sizes, grades and other unified particulars according to their necessities.

Stainless Steel & Duplex Steel Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000LBS, 6000LBS

Stainless Steel: ASTM A 182 F - 304 / 304H / 304L / 316 / 316H / 316L / 316Ti, 309, 310, 317L,

321, 347, 904L

Duplex Steel: ASTM A 182 - F 51, F 53, F 55

Alloy Steel, Carbon Steel & LTCS Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000LBS

Low Temp. CS: A 350 LF2

Copper & Nickel Alloys Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000 LBS

Copper Nickel : C70600(90 : 10), C71500(70 : 30),C71640

Nickel: UNS N02200, N02201

Monel: UNS N04400, N05500, Alloy 20

Inconel: UNS N06600, N06601, N06625, N08800, N08810, N08825

Hastelloy: UNS N10276, N06022, N10665, N06455

Threadolet



Threadolet Exporter

We offer a various scope of Threadolet Fittings that is made utilizing top notch raw material under the direction of specialists. Our scope of manufactured steel fitting is utilized as a part of different enterprises which are precise in fitting because of exact threads. These are outstanding for its qualities, for example, solidness, rust free and precise shapes. We offer these in light of the necessities specified by our profitable benefactors.

We usually work for the Customer, from the customer, as one of the one-liner professional and management links up approach that plays the vital role in this competitive B2B business market.

Stainless Steel & Duplex Steel Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000LBS, 6000LBS

Stainless Steel: ASTM A 182 F - 304 / 304H / 304L / 316 / 316H / 316L / 316Ti, 309, 310, 317L,

321, 347, 904L

Duplex Steel: ASTM A 182 - F 51, F 53, F 55

Alloy Steel, Carbon Steel & LTCS Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000LBS

Low Temp. CS: A 350 LF2

Copper & Nickel Alloys Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000 LBS

Copper Nickel : C70600(90 : 10), C71500(70 : 30),C71640

Nickel: UNS N02200, N02201

Monel: UNS N04400, N05500, Alloy 20

Inconel: UNS N06600, N06601, N06625, N08800, N08810, N08825

Hastelloy: UNS N10276, N06022, N10665, N06455

Nipolet



Nipolet Exporter

Nexus Steel is one of the main manufacturer and exporter of the High Grade ASTM A105 Nipolet which use in various industries. ASTM A105 Nipolet are fabricated by International guidelines, in particular, the American standard [ANSI/ASTM], the British standard [BS EN], and the DIN/European standard [EN].

We highly strict quality controls are implemented on every step of production to ensure the product quality delivering to the market. Through years of hard work and continuing improvement of quality, we are certified and accredited with the ISO 9001:2008 for our entire quality system.

Stainless Steel & Duplex Steel Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000LBS, 6000LBS

Stainless Steel: ASTM A 182 F - 304 / 304H / 304L / 316 / 316H / 316L / 316Ti, 309, 310, 317L,

321, 347, 904L

Duplex Steel: ASTM A 182 - F 51, F 53, F 55

Alloy Steel, Carbon Steel & LTCS Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000LBS

Low Temp. CS: A 350 LF2

Copper & Nickel Alloys Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000 LBS

Copper Nickel : C70600(90 : 10), C71500(70 : 30),C71640

Nickel: UNS N02200, N02201

Monel: UNS N04400, N05500, Alloy 20

Inconel: UNS N06600, N06601, N06625, N08800, N08810, N08825

Hastelloy: UNS N10276, N06022, N10665, N06455

Latrolet



Latrolet Exporter

Nexus Steel offer Latrolet are used for 45° lateral connections, is available butt-weld to meet specific reinforcement requirements, and 3000# or 6000# classes for Socket Weld and threaded applications.

We are offering to clients with an outstanding Latrolet Outlet Fittings in Nickel Alloys, Inconel, Incoloy, Alloy Steel, Monel etc. We are Manufacturers of Lateral Outlet and Supply high quality ASME B16.11/BS3799 Lateral Outlet offer you the best costs in the business sector.

Stainless Steel & Duplex Steel Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000LBS, 6000LBS

Stainless Steel: ASTM A 182 F - 304 / 304H / 304L / 316 / 316H / 316L / 316Ti, 309, 310, 317L,

321, 347, 904L

Duplex Steel: ASTM A 182 - F 51, F 53, F 55

Alloy Steel, Carbon Steel & LTCS Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000LBS

Low Temp. CS: A 350 LF2

Copper & Nickel Alloys Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000 LBS

Copper Nickel : C70600(90 : 10), C71500(70 : 30),C71640

Nickel: UNS N02200, N02201

Monel: UNS N04400, N05500, Alloy 20

Inconel: UNS N06600, N06601, N06625, N08800, N08810, N08825

Hastelloy: UNS N10276, N06022, N10665, N06455

Sweepolet



Sweepolet Exporter

Nexus Steel are counted amongst the foremost manufacturers, exporters and supplier of Sweepolets to our customers. Our range is widely appreciated for their features like quality, ideal execution and toughness. These gave by details said by our customers.

We check the nature of these analyzers on different parameters to offer defect free to our customers. The offered Sweepolet are fabricated by making use of supreme quality of machinery. We Proficient in Quality administration of Sweepolet, Timely delivery and Customers focused methodology.

Stainless Steel & Duplex Steel Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000LBS, 6000LBS

Stainless Steel: ASTM A 182 F - 304 / 304H / 304L / 316 / 316H / 316L / 316Ti, 309, 310, 317L,

321, 347, 904L

Duplex Steel: ASTM A 182 - F 51, F 53, F 55

Alloy Steel, Carbon Steel & LTCS Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000LBS

Low Temp. CS: A 350 LF2

Copper & Nickel Alloys Outlets

Size: 1/2"NB to 24"NB in various Schedule

Class: 3000 LBS, 6000 LBS

Copper Nickel : C70600(90 : 10), C71500(70 : 30),C71640

Nickel: UNS N02200, N02201

Monel: UNS N04400, N05500, Alloy 20

Inconel: UNS N06600, N06601, N06625, N08800, N08810, N08825

Hastelloy: UNS N10276, N06022, N10665, N06455