



MODEL NO: DVSC-33



SAFETY RELIEF VALVE

DARSHAN
VALVE MFG CO.

Admin office & works:


**42,Shreeji Industrial Estate,Raipur Mill Compound
Saraspur.AHMEDABAD-380018 -GUJARAT-INDIA**

email: info@darshanvalve.com / darshanvalve@gmail.com

web site: www.darshanvalve.com

DVSC-33 Series LP & MP

Metal Seat Valve



Part No.	Nomenclature
1	Noozal
2	Disc
4	Disc Holder
5	Guide-one piece
6	Body
9	Spindle
10	SpringWasher
11	Spring
12	Adjusting Screw
13	Adj.ScrewLocknut
17	Cap Gasket
18	Screwed Cap(if req)

Body Material

ASTM A 216 Gr WCB
 ASTM A 351 Gr CF 8 - CF8M
 AISI 304-316-410-Forged steel
 A 105-F 304- F 316

Nozzal Material

ASTM A 351 Gr CF8 - CF8M
 AISI 304-316-304 L-316 L- stelited -Brass
 S.S.410

Disc Material

AISI 304-316-304 L-316 L- stelited -Brass

Maximum set pressure

Model no: DVSC-33-LP (5 PSI TO 290 PSI)
 Model no: DVSC-33-MP (291 PSI TO 1900 PSI)



DVSC-33 Metal Seat Valve Construction
 Model : L & M



Size : up to 50mm
Pressure : up to 300 bar



AN ISO 9001 - 2008 COMPANY

DARSHAN

VALVE MFG CO.



SAFETY RELIEF VALVE



Admin office & works:

42, Shreeji Industrial Estate, Raipur Mill Compound

Saraspur. AHMEDABAD - 380018 - GUJARAT - INDIA


email: info@darshanvalve.com / darshanvalve@gmail.com

web site: www.darshanvalve.com



SAFETY RELIEF VALVE

MODEL NO: DVFL-42



Conventional Metal Seat Valve

Part No.	Nomenclature
1	Body
2	Nozzle
3	Adjusting Ring
4	Adjusting Ring Pin
5	Adjusting Ring Pin Gasket
6	Disc
7	Disc Retainer
8	Disc Holder
9	Guide
10	Guide Gasket
11	Bonnet
12	Bonnet Gasket
13	Base Stud
14	Stud Nut
15	Spindle
16	Ball
17	Spring Washer
18	Spring
19	Adjusting Screw
20	Adjusting Screw Locknut
21	Screwed Cap
27	Cap Gasket

