

INDUSTRIAL GAS VALVES



Products - Industrial Valves



Product Specification

The Oxygen valves offered by us used in the pipe lines and gas & air compressors to release air effectively and thus ensure free operation of compressors and pipe lines.



S.No.	Type	Outlet No.	Valve Inlet	Valve Outlet	Material of Valve	SS Spindle Sq. Size	Test Pressure
1.	OXYGEN	3	25.40 mm 1 IN 8 or 18.16 mm 1 IN 8 or 3/4" x 14 NGT 1 IN 16 or 28.8 mm 3 IN 25 or 31.75 mm 1 IN 8	G5/8-RH HORIZONTAL	High Tensile Brass	7.1	240 Kg/cm ²

Air Store Valves



Product Specification

We have in store for our clients, a highly functional gamut of air lock valves that is used to minimize the system losses, while transferring the material between the vessels with different pressure or a volumetric feeder for metering material at specified low rates.

Freon Big & Small



Product Specification

We offer wide range of Freon Big & Small valves. The products manufactured by our company are reliable, durable and are of unique quality.

S.No.	Type	Outlet No.	Valve Inlet	Valve Outlet	Material of Valve	SS Spindle Sq. Size	Test Pressure
1.	FREON	5	25.40 mm 1 IN 8 or 18.16 mm 1 IN 8 or 3/4" x 14 NGT 1 IN 16 or 28.8 mm 3 IN 25 or 31.75 mm 1 IN 8	EXTG5/8-RH HORIZONTAL	High Tensile Brass	9.5	240 Kg/cm ²

Argon



Product Specification

We offer high quality argon.

S.No.	Type	Outlet No.	Valve Inlet	Valve Outlet	Material of Valve	SS Spindle Sq. Size	Test Pressure
1.	ARGON	20	25.40 mm 1 IN 8 or 18.16 mm 1 IN 8 or 3/4" x 14 NGT 1 IN 16 or 28.8 mm 3 IN 25 or 31.75 mm 1 IN 8	G3/4-RH HORIZONTAL	High Tensile Brass	7.1	240 Kg/cm ²

CNG Valve



Product Specification

CNG Valve automotive use

we offer high quality auto lpg and cng valves. We always believe that quality and client satisfaction are the parameters to success and today this has made us one of the most successful companies.

Type	Outlet No.	Valve Inlet	Valve Outlet	Material of Valve	SS Spindle Sq. Size	Test Pressure
CNG HEAVY VEHICLE	21A	25.40 mm 1 IN 8 or 18.16 mm 1 IN 8 or 3/4" x 14 NGT 1 IN 16 or 28.8 mm 3 IN 25 or 31.75 mm 1 IN 8	INT. M12-RH	High Tensile Brass	-	240 Kg/cm ²

Carbon di-oxide Valves



Product Specification

Carbon di-oxide

We are one of the leading manufacturers and suppliers of precision engineered Carbon di-oxide valves, which find application in various industries. These are manufactured using quality basic material and in accordance with the latest industry standards.

S.No.	Type	Outlet No.	Valve Inlet	Valve Outlet	Material of Valve	SS Spindle Sq. Size	Test Pressure
1.	CARBON DI-OXIDE	7	25.40 mm 1 IN 8 or 18.16 mm 1 IN 8 or 3/4" x 14 NGT 1 IN 16 or 28.8 mm 3 IN 25 or 31.75 mm 1 IN 8	EXT W21.8 X 1.814-RH HORIZONTAL	High Tensile Brass	9.5	240 Kg/cm ²

Oxygen Valve for medical use



Product Specification

Oxygen Valve for medical use

We offer wide range of Oxygen Valve for medical use. Our valves are made by high quality.

IS.No.	Type	Outlet No.	Valve Inlet	Material of Valve	SS Spindle Sq. Size	Test Pressure
IS 3745	MEDICAL OXYGEN VALVE	-	18.16 nom	Brass	-	300 Kg/cm ²

Industrial Valve



Product Specification

We are offering to our clients, motor and valve parts, which are appreciated for features like dimensionally precise, high strength, corrosion resistance and abrasion resistance. These are widely used in various industries like engineering, automobile, steel and material handling.

Type	Outlet No.	Valve Inlet	Valve Outlet	Material of Valve	SS Spindle Sq. Size	Test Pressure
CNG HEAVY VEHICLE	21A	25.40 mm 1 IN 8 or 18.16 mm 1 IN 8 or 3/4" x 14 NGT 1 IN 16 or 28.8 mm 3 IN 25 or 31.75 mm 1 IN 8	INT. M12-RH	High Tensile Brass	-	-