

Fasteners

We hold expertise in offering Fasteners, such as nuts, bolts and washers to our clients. These are manufactured utilizing high grade, such as steel, duplex steel, monel, inconel, hastelloy, titanium and nickel alloy, which assure their high tensile strength and corrosion resistance. Our range finds applications in numerous industries and is offered in sizes ranging from M10 TO M100, length up to 5 meters as per the client's requirements.

Stainless Steel : AISI 302, 304,304L,316,316L, 310, 317, 317L, 321, 347, 410, 420,904L etc.

High Nickel Alloy : Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Alloy Steel : 4.6 , 5.6, 6.6, 8.8, 10.9 & 12.9 / 'R', 'S', 'T' Conditions.

Carbon Steel : Bare Condition, Galvanized, Phosphetised, Cadmium Plated, Hot Deep Galvanized, Bloodied, Nickel Chrome Plated,etc.

Non Ferrous Metal : Copper, Brass, Aluminium, Titanium, Nichrome, Al. Bronze Phosphorous Bronze, etc.

Types : Bolts, Nuts, Washers, Anchor Fasteners, Stud Bolts, Eye Bolt, Stud,

Hexagon Thin Nuts

We manufacture a comprehensive range of Hexagon Thin Nut. These nuts are fabricated using high-grade stainless steel, nickel alloy, and other useful material in compliance with international quality standards. The Hexagonal Thin Nuts offered by us are appreciated for stiffness, hardness, Rust proof, durability, and ability to withstand harsh weather conditions. Nuts are available in various sizes, lengths, thicknesses, dimensions and grades, which can be further custom made as required by our clients.



- Stainless Steels Material Grade : 304, 304B, 309, 310, 316, 316B, 317, 317L, 321, 347, 401, 416, 430 & 501.
- Diameter : M27 to M52
- Duplex & Super Duplex : UNS31803,S32750.
- Diameter : M16 to M100
- Hastelloy : Hastelloy C-276, Hastelloy C-22.
- Diameter : M8 to M36
- Exotics : 904L, A-286, Alloy20, Alloy50, NitronicAlloys50, Titanium.
- Diameter: M8 to M36
- Nickel Alloys: Inconel600,601,625,718,750,800/800H,825,925, Monel 400,405,K-500 & Nickel 200.

Plain Washers

We manufacture our range of Plain Washers in different size options, dimensions, and finishes to suit different industrial applications. These are in high demands in the competitive market owing to their dimensional accuracy, high tensile strength, abrasion resistance, flawless finish, and durability. Our range of Plain Washer is quality tested on well defined parameters by our team of quality controllers. We also manufacture different types of washers as well i.e Tab Washers, Heavy Duty Washers, Tooth Washers, etc. To satisfy our clients fully, we also provide them with testing certificate. Our plain washers are also available in customized forms and at market competitive price.



- Stainless Steels Material Grade : 304, 304B, 309, 310, 316, 316B, 317, 317L, 321, 347, 401, 416, 430 & 501.
- Diameter : M6 to M72
- Duplex & Super Duplex : UNS31803,S32750.
- Diameter : M6 to M72
- Hastelloy : Hastelloy C-276, Hastelloy C-22.
- Diameter : M6 to M72
- Exotics : 904L, A-286, Alloy20, Alloy50, NitronicAlloys50, Titanium.
- Diameter : M6 to M72
- Nickel Alloys : Inconel600, 601, 625, 718, 750, 800/800H, 825, 925, Monel 400, 405, K-500 & Nickel 200.
- Diameter : M6 to M72

Hex Bolts & Hex Screws DIN 931 / ISO4014 & DIN 933/ISO4017

Our range of hex bolts & hex screws is widely used for high-end industrial purpose and automobile industry. These are acknowledged for wear & tear resistance, cost effectiveness, and long functional life. The Hex Head Bolts offered by us are at par with international quality standards. These are available in various shapes and sizes, and other customized forms as per client's specifications and details. We offer these bolts in various grades to suit the application area at industry leading prices



- Stainless Steels Material Grade : 304, 304B, 309, 310, 316, 316B, 317, 317L, 321, 347, 401, 416, 430 & 501.
- Diameter : M27 to M52 up to 500 MM in Length
- Duplex & Super Duplex : UNS31803,S32750.
- Diameter : M16 to M42 up to 300 MM in Length
- Hastelloy : Hastelloy C-276, Hastelloy C-22.
- Diameter : M8 to M27 up to 300 MM in Length
- Exotics : 904L, A-286, Alloy20, Alloy50, NitronicAlloys50, Titanium.
- Diameter : M8 to M27 up to 300 MM in Length
- Nickel Alloys : Inconel600,601,625,718,750,800/800H,825,925,
- Monel 400,405,K-500 & Nickel 200.
- Diameter : M8 to M27 up to 300 MM in Length

Hexagonal Nut

Hexagon Nuts are Designed to perfection, these nuts possess close tolerance and precision dimensions. Our quality controllers undertake stringent quality measures in order to provide our clients a flawless range of nuts. Further, to retain the trust of our valued clients, we also provide them with certificate regarding testing parameters undertaken by our organization. We offer our range of Hexagon Nuts in various sizes, thicknesses & dimensions, and material & grades. These nuts meet the requirements of hardware, engineering, electrical and various other industries. We also customize our range of Hexagonal Nuts to meet the different requirements of our clients. Further, our range can be availed at market leading prices.



- Stainless Steels Material Grade : 304, 304B, 309, 310, 316, 316B, 317, 317L, 321, 347, 401, 416, 430 & 501.

- Diameter : M27 to M52
- Duplex & Super Duplex : UNS31803,S32750.
- Diameter : M16 to M27
- Hastelloy : Hastelloy C-276, Hastelloy C-22.
- Diameter : M8 to M27
- Exotics : 904L, A-286, Alloy20, Alloy50, NitronicAlloys50, Titanium.
- Diameter : M8 to M27
- Nickel Alloys : Inconel 600, 601, 625, 718, 750, 800/800H, 825, 925, Monel 400,405,K-500 & Nickel 200.
- Diameter : M8 to M27

Threaded Rods: Din 975 & Din 976



- Stainless Steels Material Grade : 304, 304B, 309, 310, 316, 316B, 317, 317L, 321, 347, 401, 416, 430 & 501.
- Diameter : M3 to M100 From 10MM to 6MTS
- Duplex & Super Duplex:UNS31803,S32750.
- Diameter : M3 to M100 From 10MM to 1000MM
- Hastelloy : Hastelloy C-276, Hastelloy C-22.
- Diameter : M3 to M36 From 10MM to 1000MM
- Exotics : 904L, A-286, Alloy20, Alloy50, NitronicAlloys50, Titanium.
- Diameter : M3 to M36 From 10MM to 1000MM
- Nickel Alloys : Inconel 600, 601, 625, 718, 750, 800/800H, 825, 925, Monel 400,405,K-500 & Nickel 200.
- Diameter : M3 to M36 From 10MM to 1000MM

U-Bolts Standard

We are able to provide any extensive range of U-Bolts. The precision engineered range of U-Bolts offered by us is at par with international quality standards and these are available in various grades, sizes, thicknesses, and dimensions as per the industry related application. Besides, we also offer these U-Bolts with extra long nuts and in full round, half round and square profiles on client's request.



- Stainless Steels Material Grade : 304, 304B, 309, 310, 316, 316B, 317, 317L, 321, 347, 401, 416, 430 & 501.
- Diameter : M6 to M36
- Duplex & Super Duplex: UNS31803, S32750.
- Diameter : M6 to M36
- Hastelloy : Hastelloy C-276, Hastelloy C-22.
- Diameter : M6 to M20
- Exotics : 904L, A-286, Alloy20, Alloy50, NitronicAlloys50, Titanium.
- Diameter : M6 to M20
- Nickel Alloys : Inconel600, 601, 625, 718, 750, 800/800H, 825, 925, Monel 400, 405, K-500 & Nickel 200.
- Diameter: M6 to M20

FEATURES :

Accurate dimension Corrosion resistance High efficiency High tensile strength Durability

APPLICATION AREA :

Pipe clamping Foundation support Installations and automotive support systems

Resin Anchor Bolts

Resin Anchor Bolt Assemblies are used both in new structure as well as replacement uses in old berths. They are encapsulated in very high strength Epoxy Mortar, which, after inserting pre-packed bolt assembly in to the cavity prepared in jetty and pushing it with little force, breaks the resin capsule and allows to mix the part-a Resin with part-b Hardener to form solid bond between the bolt and concrete. One Resin Anchor Bolt Assembly contains one no. Fender Fixing Stud, one no. Nut, one no. Chemical Resin Capsule and one no. loose Washer as per Fender type. Resin Anchor Assemblies are available in Stainless Steel as per requirement



Double End Stud Bolts

- Stainless Steels Material Grade : 304, 304B, 309, 310, 316, 316B, 317, 317L, 321, 347, 401, 416, 430 & 501.
- Diameter : M16 to M30 up to 1000 MM in Length
- Duplex & Super Duplex : UNS31803, S32750.
- Diameter : M16 to M30 up to 1000 MM in Length
- Hastelloy : Hastelloy C-276, Hastelloy C-22.
- Diameter: M16 to M30 up to 1000 MM in Length
- Exotics : 904L, A-286, Alloy20, Alloy50, NitronicAlloys50, Titanium.
- Diameter : M16 to M30 up to 1000 MM in Length
- Nickel Alloys : Inconel600, 601, 625, 718, 750, 800/800H, 825, 925, Monel 400, 405, K-500 & Nickel 200.
- Diameter : M16 to M30 up to 1000 MM in Length