



MOBILE SOLUTIONS FOR PUMP UNITS AND SYSTEMS




Mobile Pump Units are found as the best solution for the users of spread technological processes. The portability of the Units allows easy movement to various locations. This means almost limitless application.

» Trolley S | 2-wheel





A	B	C	D	E	F
268	268	137,2	615,5	930,5	133,5



Application recommendations

- Tapflo standard AODD pumps with capacity up to **125 l/min** (pump sizes: up to 100/120, except T80),
- Monoblock pumps with output power up to **4,0 kW** (assembled with the following IEC standard motors: motor type: IMB34, IMB35; max. motor size: 112).


» Trolley M | 4-wheel



Application recommendations

- Tapflo standard AODD pumps with capacity up to **570 l/min** (pump sizes: up to 400/420, except T425),
- Monoblock pumps with output power up to **7,5 kW** (assembled with the following IEC standard motors: motor type: IMB34, IMB35; max. motor size: 132).


» Trolley L | 4-wheel



Trolley type	A	B	F	G	H	I	L
troll L01	196	500	195	320	965	490	870
troll L02	252	630	195	364	965	490	980
troll L03	356	710	221	486	965	490	990
troll L04	312	900	205	420	967	492	1190
troll L05	380	1120	225	510	969	494	1420
troll L06	430	1250	225	560	969	494	1535
troll L07	480	1400	225	620	969	494	1660

Application recommendations


- Compatible with the whole range of Tapflo pumps. Size of a trolley should be matched to pump's dimenions.



Special executions

Tapflo offers the following special executions of the Mobile Pump Units:

- Unit with a dedicated control system
- Unit with a VFD (Variable-frequency drive)
- ATEX approved Unit
- Pneumatic wheels for uneven surfaces




Custom Designed Mobile Systems

This is functionality, not only a product.

Engineering to Order now includes also Custom Designed Mobile Systems.

Based on our experience with pumping SKID units, we deliver complete “made to measure” mobile units, ready to execute user’s technological process.



TAPFLO AB

Sweden

Filaregatan 4 | S-442 34 Kungälv

Tel: + 46 303 63390

Fax: +46 303 19916

Enquiries: sales@tapflo.com

Orders: order@tapflo.com

Tech support: support@tapflo.com

Dealer info

This brochure is for informational purposes only and does not constitute an offer