

Check Valves

Mv 105 Brass Check Valve (Horizontal)

Screwed Female ends Permits flow in one direction & shuts automatically if the flow reverses Forged Brass Body, brass bonnet Pressure: 30kg/cm²g




Salient Features :

- Screwed Female ends
- Permits flow in one direction & shuts automatically if the flow reverses
- Forged Brass Body, brass bonnet
- Pressure: 30kg/cm²g

Dimensions:- (All Dimension are in mm)

SIZE	DN	A	H	G	L
1/2"	15	12.0	33	1/2"	46.3
3/4"	20	13.5	36.0	3/4"	55.0
1"	25	12.0	43.0	1"	57.5
1-1/4"	32	14.0	49.0	1-1/4"	68.0
1-1/2"	40	16.0	53.0	1-1/2"	76.0
2"	50	14.0	61.5	2"	82.0



Size Range from : ½" (15 mm) to 2" (50 mm)

Mv 111 Brass Check Valve (Vertical)

Salient Features :

- Screwed Female ends
- Single piece design
- Used for vertical lines only
- Permits flow in one direction and shuts automatically if the flow reverses
- Spring inside

Dimensions:- (All Dimension are in mm)

SIZE	DN	A	A/F	ØI	G	H	L	A/C
1/2"	15	11.5	24	Ø18.0	1/2"	Ø33.3	45.0	Ø25.5
3/4"	20	13.5	30	Ø20.5	3/4"	Ø35.0	51.3	Ø31.5
1"	25	15.5	35.5	Ø28.0	1"	Ø44.0	56.0	Ø37.7
1.1/4"	32	16.5	46.5	Ø35.8	1.1/4"	Ø56.3	67.0	Ø49.5
1.1/2"	40	17.5	53.5	Ø41.3	1.1/2"	Ø65.3	74.0	Ø57.3
2"	50	17.5	65.0	Ø53.0	2"	Ø80.0	79.5	Ø69.7

Size Range from : ½" (15 mm) to 2" (50 mm)

