

Globe Valves

(Non-Ext & Extended)

(Regulating, Check & Stop Check)

Series 2000:

Tanker Range

Series 9000:

ASU Range

Size:

1/2" - 8";

DN15 - DN200

Material:

Bronze,

Stainless Steel

Monel &

Pressure Rating:

Class150 to 1500;

PN16 to PN100

End Connections

Butt Weld, Flanged,

Socket Weld &

Screwed

Temperature:

-196°C to +65°C



Gate Valves

Series 2000:

Tanker Range

Series 9000:

ASU Range

Size:

1/2" - 8";

DN15 - DN200

Material:

Bronze,

Stainless Steel

Monel &

Pressure Rating:

Class150 to 1500;

PN16 to PN100

End Connections

Butt Weld, Flanged,

Socket Weld &

Screwed

Temperature:

-196°C to +65°C



Vacuum Jacketed Valves

Series 2027:

Non Bellows Sealed

Series 2028:

Bellows Sealed

Size:

1/2" - 8";

DN15 - DN200

Material:

Bronze,
Stainless Steel &
Aluminium

Pressure Rating:

Class150 to 600;

PN16 to PN40

End Connections

Butt Weld, Flanged,
Socket Weld &
Screwed

Temperature:

-269°C to +149°C



Emergency Shut-Off/ Excess Pressure Valves

Series 2020:

Gate

Series 2003:

EPD

Size:

1/2" - 3";
DN15 - DN80

Material:

Bronze,
Stainless Steel

Pressure Rating:

Class150 to 600;
PN16 to PN40/50

End Connections

Butt Weld,
Flanged,
Socket Weld &
Screwed

Temperature:

-196°C - +65°C



3-Way Divertor & 4-Way Cardio Valves

Series 2005:

3-way Divertor

Series 1005/6:

4-Way Cardio

Size:

1" - 8";

DN25 - DN200

Material:

Bronze,
Stainless Steel,
Monel &
Aluminium

Pressure Rating:

Class150 to 600;

PN16 to PN40/50

End Connections

Screwed, Flanged

Temperature:

-196°C - +65°C



Other Special Valves

Series

2012/2013:

In-Line Relief Valve

Series

2014/2015:

Y Strainer

Series 2002:

Cluster Valve

Series

9300/2011:

Globe Actuated Valve

Series 2201:

Globe Angle Valve

Series 2001:

Vacuum Probe Valve

Series 2008:

In-Line Relief Valve

Series 2006:

Vacuum Probe Valve

Series 2019:

Thermo Check

