

[www.cheranmachines.com](http://www.cheranmachines.com)



# SPREADING COLOURS


follow us      

[www.cheranmachines.com](http://www.cheranmachines.com)



Cheran Machines  
Private Limited  
Cheran Machines  
Private Limited

CREATE YOUR  
DREAMS  
WITH OUR  
INNOVATES.



## P R O D U C T S

Stretching Clamps | Stirrer Motor | Screen Washer | Washing Booth | " X-well " Exposing | Screen Dryer |  
Manual Printing | Micro Registration Printing machine | Electric Flash Curer | Electric Dryer Conveyor Curing |  
Diesel-Gas Dryer | Digital Heat Transfer / Fusing machine | Sleek / Digital Twins ( Heat Transfer / Fusing Machine )  
Dual Heat Tray | Cute / Crystal / Cute Square | Crown | Falcon | T-Rex | Embossing Machine | Automatic Double Bed |  
Hot & Cold | Roll Heat Seal Machine | Jumbo Sublimation Transfer Machine | Swift Roll To Roll Sublimation  
Transfer Machine | Sublimation Digital Printing machine | Oval with Digital Printing Machine |  
Automatic Printing Machine - Rainbow Rover.



The company reserves the right to alter the specification and design without prior notice.

# A B O U T U S

Cheran Machines India Pvt Ltd., an ISO 9001 Certified company, pioneers in manufacturing garment/ textile printing machines. Located in the heart of Coimbatore, Manchester of South India, Cheran stands for strong commitment to quality with user-friendly features and superior performance. With upholding the legacy for more than 30 years, all our efforts are directed towards doing it right the first time & everytime.

Cheran has been aided by a robust and technically-trained service team with the latest technology telecommunication, fulfilling the promise to provide unwavering support to the dealer network before, during and after-sales. A dedicated research and development team with dynamic engineers is devoted to identifying, designing and developing products according to the customer needs in the competitive sector.


With a well-knit, synergic team, Cheran's actively working towards increasing its client base in Leather, Automobile, Rixin, Nylon, Medical, Woven and Sportswear industries.

In the journey towards excellence, Cheran continues to mark its footprints across countries through international and national exhibitions like IMB-Germany and AAMATEX-Singapore.

As a brand recognized for innovation, Cheran has not only marked its existence in India but has a profound customer base in countries like Bangladesh, Egypt, Madagascar, Nepal, Sri Lanka, Thailand, Vietnam, Ethiopia, Jordan, Qatar, Haiti, Tanzania, Uganda, Kenya and the Gulf region.



# Cheran's Stretching Clamp



## TECHNICAL SPECIFICATION

Model	CMS08
Air Pressure	0 to 8 Bar
Clamp Width	250mm
Frame Profile	25-40mm
Max. Mesh Tension	40n/cm
Air Consumption	2.7 l / Stroke (0.09cfm / stroke )

## FEATURES

- Specially designed modular pneumatic stretching clamps in table top execution for all mesh type.
- Capable of achieving stretching values of up to 40 N.
- The simple and user-friendly control module in which the clamps are operated by means of a manual spool valve.
- The frame profile height can be easily adjusted with the help of adjusting knob.

## Cheran's "x-wel" Exposing



### FEATURES

- The machine consists indigenous quick start exposal system.
- Imported Rubber Blanket used for long life.
- Automatic and Manual operating system as well as Exposing and Vacuum.
- Programmable upto 99 settings.
- Toughened glass used for long life.

### TECHNICAL SPECIFICATION

Model	CMX 30x40	CMX 40 x 50
Overall Size (L x B x H )	1390x1010x1061mm	1705x1325x1061mm
Frame Size (Max)	35" x 45"	45"x 55"
Light Source	3 KW	5 KW
Power	440 V/50 HZ / 4HP	440 V / 50 HZ / 7 HP
Vacuum Pump	0.25 HP / 1.5 CFM / $3 \times 10^{-1}$	0.75 HP / 3.5 CFM / $3 \times 10^{-1}$
	Pa - UL VACUUM	Pa - UL VACUUM

# Cheran's Screen Dryer



TECHNICAL SPECIFICATION		
Model	CSD3040	CSD4050
Machine Size(LxBxH)	128x104x90cm	180x134x110cm
Max. Screen Size	30"x40" Inches	40"x50" Inches
Heater	3 KW / 7 Amps	6 KW / 13.5 Amps
Power	440 V / 50 Hz / 4 HP	440 V / 50 Hz / 8 HP
No of Rack	5Nos	5Nos

## FEATURES

- Quick drying of the screen frames.
- Digital temperature control and timer.
- Blower provided for distribution of hot air to the entire area.



## Cheran's Screen Washer | Washing booth SCREEN WASHER

### TECHNICAL SPECIFICATION

Model	CSW
Motor	1 HP, 220 V Single Phase
Suction hose	2.5 Mts
Mounting type	Base Mounting
Nozzle	Jet and Spray



## WASHING BOOTH

### TECHNICAL SPECIFICATION

Model	CWB 30x40	CWB 40x50
Machine Size ( L x B x H )	72x109x180cm	102x109x200cm
Acrylic sheet size	95cmx85cmx6mm	115cmx105cmx6mm
Light	Fluorescent lamp 3x20w	Fluorescent lamp 3x20w

### FEATURES

- Stainless steel body is used to prevent corrosion.
- Two sides drain provided.
- Easy to clean & Handle.
- Fluorescent lamp provided for clear visibility.
- Lights can be adjusted.
- High pressure washer provided for fast cleaning.

## Stand Type CSCM



## Hanging Type CHCM



# Cheran's Stirrer Motor

## STAND TYPE

TECHNICAL SPECIFICATION		
Model	CSCM	CFCM
Motor Flange Type	1 HP, 3 Phase, 415 V, 2880 RPM,	5HP, 3 Phase, 415 V, 1440 / 2880 RPM,
Container Can be Used	1 Kg - 10 Kg	Maximum Rod Lift Up to 2.5 Feet
Adjustment	Rack and Pinion type	Manual & Motorised

## FEATURES

- Stainless steel rod with Three leaves provided for stirrer.
- Height can be adjusted by rack and pinion in stand type.
- AC Drive used for speed control.
- With Forward and Reverse Option.

## HANGING TYPE

TECHNICAL SPECIFICATION	
Model	CHCM
Motor	2HP, 3 Phase, 415 V, 1440 RPM, Flange Type
Container can be used	25 Kg - 200 Kg

## FEATURES

- Stainless steel rod with three leaves provided for stirrer.
- Easy to change stirrer rods - Forward & Reverse switch provided.

## Foot Mounted Type for Higher Capacity CFCM



# Cheran's Manual Printing Machine



## TECHNICAL SPECIFICATION

Model	CP04	CP0604	CP0806	CP1008	CP1210
No of Color	4	6	8	10	12
Max Printing Area	40 x 60cm (20"x 30")				
Max Frame Size	24"x 34"				
Machine Diameter	11.5' (Ø8' optional)	12.5'	13.5'	14.5'	16.5'
Machine Height	4'	4'	4'	4'	4'

## FEATURES

- Manually operated.
- Registration accuracy.
- Electric / Infrared flash curer.
- Plastisol Printing.
- Massive Production.
- Suitable for Garments / Cloth, bags, Non Oven bags, Jute bags and Cotton bags.
- Automatic Bottom Rotation is also Available.

# Cheran's Micro Registration Printing Machine



## TECHNICAL SPECIFICATION

Model	CP04	CP0604	CP0806	C1008
No of Color	4	6	8	10
Max Printing Area	40 x 60cm (20"x 30")			
Max Frame Size	24"x 34"	24"x 34"	24"x 34"	24"x 34"
Machine Diameter	11.5' (Ø8' optional)	12.5'	13.5'	14.5'
Machine Height	4'	4'	4'	4'

## FEATURES

- Micro Adjustment.
- Easy to fix the frame.
- "X & Y" Angle can be adjusted in micron accuracy.
- Pallet locking system available.
- Registration maintain accuracy.
- Suitable for garments / cloth, bags, non oven bags, jute bags and cotton bags.
- Fire / water prof wooden pallet (option aluminium).
- Infrared flash curer.
- Automatic Bottom Rotation Available.

# Cheran's Electric Flash Curer's



Ceramic Curer  
CCC



Table Trolley Curer  
CTC



## TECHNICAL SPECIFICATION

Model	CIR	CCC	CTC
Heater Size	(20" x 20")	(20" x 20")	(20" x 20")
Power	230 V / 50 Hz / 6 HP	230 V / 50 Hz / 5 HP	230 V / 50 Hz / 6 HP
Heater	4.5 KW / 20 Amps	3.5 KW / 16 Amps	4.5 KW / 20 Amps

## FEATURES

- Specially designed for table printing.
- Single or three phase.
- Timer control can be provided for infrared heaters.
- Height can be adjusted.
- In IR Curer 3 Zone Heater is also available.

IR Curer  
CIR



# Cheran's Electric Dryer Conveyor Curing



## TECHNICAL SPECIFICATION

Model	CC255	CC310	CC315	CC415
Machine Size ( LxBxH )	9'x 3'x 4'	14'x 3.5'x 4'	21' x 3.5' x 4'	21'x 5'x 4'
Power	440 V / 50 Hz / 12 HP	440 V / 50 Hz / 20 HP	440 V / 50 Hz / 32 HP	440 V / 50 Hz / 48 HP
Heater	9 KW/ 20.5 Amps	15 KW / 34.5 Amps	24 KW / 54.5 Amps	36 KW / 82 Amps
Working Area	75x150cm (2.5' x 5')	90x300cm (3' x 10')	90 x 450 cm (3' x 15')	120x450cm (4' x 15')
Temperature	200°C	200°C	200 °C	200°C
Operating Speed	33F/min	33F/min	33F/min	33F/min
Conveyor Drive	DC Motor with 180 V DC Drive	DC Motor with 180 V DC Drive	DC Motor with 180 V DC Drive	DC Motor with 180 V DC Drive
Blower	230V AC/ 30W	230V AC/ 30W	230V AC/30 W	230V AC/ 30W

## FEATURES

- Radiant quartz heater for immediate heating and cooling.
- Variable speed control system.
- Suitable for discharge drying.
- Manual operation of conveyor also possible during power cuts.
- Individual chamber can be controlled-optional.
- Suitable for Garments / Cloth, Bags, Non Woven Bags, Jute Bags and Cotton Bags.
- Suction blower is provided to suck the odour and smoke.
- SSR optional.
- Extension Conveyor is also available.
- Custom made size is also available.

# Cheran's Diesel Curing



# Cheran's Gas Dryer



TECHNICAL SPECIFICATION			
Model	CDC416	CGC416	CGC516
Machine Size (Lx BxH)	22' x 7' x 4'	28'x 7'x 4'	28' x 7'x 5'
Power	440 V	440 V	440 V
Working Area	16' x 5'	16' x 4'	16' x 5'
Temperature	220° C	220° C	220° C
Operating Speed	33 Ft/min	33 Ft/ min	33 Ft/min
Conveyor Drive	180 V DC	180 V DC	180 V DC
Delivery End	3'	6'	6'
Feeding End	3'	6'	6'
Diesel Fired	36000-100000 K-Cal / Hr	36000-100000 K-Cal / Hr	36000-100000 K-Cal / Hr
Thermal Efficiency	85%	85%	85%
Fuel/gas Consumption	Diesel 4.43 Ltr / Hr	LPG / 4Kg/Hr	LPG / 4Kg/Hr
Max. air Temperature	220°C	220°C	220°C
Air Output	1000 M <sup>3</sup> / Hr	1000 M <sup>3</sup> / Hr	1000 M <sup>3</sup> / Hr
Blower	1HP, 440 V 2600 RPM	3HP,440 V 1440 RPM	3HP,440 V 1440 RPM

## FEATURES

- Variable speed control system
- Massive production
- Hot air distributed through a perforated sheet uniformly
- High Flame and low flame option available to control gas consumption in the chamber
- Speedometer provided for conveyor speed measurement
- Suction Blower are provided to suck the odour and smoke
- Suitable for Garments / Cloth bags, Non oven bags, Jute bags and Cotton bags.

# Cheran's Digital Heat Transfer / Fusing Machine



CF



## FEATURES

- Micro control based digital temperature and timer control.
- Automatic double stroke operation and production monitoring.
- Can be used for Collar, Cuff, Leather, Shoes and Upholstery items.
- Die cast heater bed with Teflon coating is used for longer life.

Top Press  
CFTP




## TECHNICAL SPECIFICATION

Model	CF 2002/CFTP 2002	CF 2030/CFTP 2030	CF 2430/CFTP 2430
Platen Size	40x50cm (16" x 20")	50x75cm (20" x 30")	60x75cm (24" x 30")
Power	230V, 50 HZ, 3.5HP	230V, 50 HZ, 5 HP	230V, 50 HZ, 5.5 HP
Heater	2.5 KW / 11 Amps	3.5 KW / 15 Amps	4 KW / 17.5 Amps
Temperature	220°C	220°C	220°C
Timer	0 to 99 Sec	0 to 99 Sec	0 to 99 Sec
Air Pressure	0 - 8 Bar	0 - 8 Bar	0 - 8 Bar
Air Consumption	0.4 cfm at 8 Bar	0.6 cfm at 8 Bar	0.6 cfm at 8 Bar / Min

# Cheran's Sleek / Digital Twins (Heat Transfer / Fusing Machine)



CF DB



## TECHNICAL SPECIFICATION

Model	CF 2003 DB	CF 2002DB /CF2002 DUAL
Platen Size	25 x 38 CM (10" x 15" )	40 x 50 CM (16" x 20")
Power	230V, 50 HZ, 2.5 HP	230V, 50 HZ / 3.5 HP
Heater	2 KW / 9 Amps	2.5 KW / 11 Amps
Temperature	220°C	220°C
Timer	0 to 99 Sec	0 to 99 Sec
Air Pressure	0 - 8 Bar	0 - 8 Bar
Air Consumption	0.4 cfm at 8 Bar	0.4 cfm at 8 Bar/Min

Cheran's Dual Heat Tray  
CF DUAL



## FEATURES

- Micro controller based digital temperature and timer control.
- Portable type machine suitable for small prints and transfers.
- Reduces labour cost and electricity considerably.
- Double bed will increase the production.
- Die cast heater bed with Teflon coating is used for longer life.

## Cheran's Cute

### Cheran's Cute



#### TECHNICAL SPECIFICATION

Model	CF 0606
Platen Size	(6" x 6") / (8" x 8")
Power	1 HP 230V, 50 HZ,
Heater	0.5 KW/2.25 Amps
Temperature	220°C
Timer	0 to 99 Sec
Air Pressure	0 - 8 Bar
Air Consumption /Min	0.35 cfm at 8 Bar
Number of Bottom beds	2

#### FEATURES

- Micro controller based digital temperature and timer control.
- Suitable for wash care label.
- Reduces labour cost and electricity considerably.
- Massive production.
- Up to eight stations for more production.
- Specially suitable for Lingerie's, Men's Brief Label, Neck Label and Sticker Transfer.
- Four station individual operating systems.
- Saves the space.
- OPTIONAL - Can be connected to the network.
- Laser Marker attachment is also available for Sticker placement.

## Cheran's Crystal



## Cheran's Cute Square



## Cheran's Crystal / Cute Square

### TECHNICAL SPECIFICATION

Model	CF 0406 Crystal	Cute Square
Platen Size	15x15 cm / Head (6" x 6")	15x15 cm / Head (6" x 6")
Power	230V, 50 HZ 1 HP / Head	230V, 50 HZ 1 HP / Head
Heater	0.5 KW /2.25 Amps/Head	0.5 KW /2.25 Amps/Head
Temperature	220°C	220°C
Timer	0 to 99 Sec	0 to 99 Sec
Air Pressure	0 - 8 Bar	0 - 8 Bar
Air Consumption /Min	1.4 cfm at 8 Bar	1.4 cfm at 8 Bar
Number of Bottom beds	4/8	4/2

### FEATURES

- Micro controller based digital temperature and timer control.
- Suitable for wash care label.
- Reduces labour cost and electricity considerably.
- Massive production.
- Up to eight stations for more production.
- Specially suitable for lingerie's, men's brief label, neck label and sticker transfer.
- Four station individual operating systems.
- Saves the space.
- OPTIONAL - Can be connected to the network.

# Cheran's Jumbo Sublimation Transfer Machine with Double Tray



## TECHNICAL SPECIFICATION

Model	CF 2638	CF 3242	CF 3848	CF 4252
Platen Size	65 x 95 cm	80x105 cm	95x120cm	105x130cm
Working Area	24" x 36"	30" x 40"	36" x 46"	40" x 50"
Power	440V,50 HZ 9HP	440V,50 HZ 14HP	440V,50 HZ 16HP	440V,50 HZ 22HP
Heater	6.5KW / 15 Amps	10KW / 23 Amps	12 KW / 27 Amps	16KW / 36 Amps
Temperature	220°C	220°C	220°C	220°C
Timer	0 to 99 Sec			
Air Pressure	0 - 8 Bar			

## FEATURES

- Micro controller based digital temperature and timer control.
- Specially designed for sublimation transfer.
- Manual tray movement enables easier and faster operation.
- Aluminium plate with Teflon coating is used in heater bed for quick transfer.
- Suitable for sublimation on polyester clothes.
- Automatic Tray movement optional.
- Custom Platen Size 40" x 60" also available.

# Cheran's **SWIFT** Roll to Roll Sublimation Transfer Machine



## TECHNICAL SPECIFICATION

Model	MINI	CFR 1250	CFR 1750	CFR 1950
Working Area	25"	44"	65"	72"
Actual Size	27"	51"	72"	77"
Heater	4.5 KW/ 8Amps	6 KW/ 14 Amps	10.5 KW/ 24 Amps	12 KW / 27 Amps
Power	440 V / 50 HZ 6HP	440 V / 50 Hz 8HP	440 V / 50 Hz 14HP	440 V / 50 Hz 16HP
Temperature	220°C	220°C	220°C	220°C
Speed	2.5 Mtr / Min	2.5 Mtr / Min	2.5 Mtr / Min	2.5 Mtr / Min

## FEATURES

- Electric Drum Heating Type.
- Fast Continuous Production.
- Easy Handling & Maintenance.
- Customized Cooling Timer Setting.
- Suitable for pattern Fabric, Towel Flag, Cloths & Sportwear (Jersey).
- Suitable for Sublimation Transfer on Polyester Cloths.
- All data controlled by PLC.
- Fine Tuning Possible.
- Pre Heating system also available.
- Shift wise production data available.
- Optional 500mm Drum Dia also available.

# Cheran's Embossing Machine



## TECHNICAL SPECIFICATION

<b>Model</b>	<b>C02G</b>
Platen Size	400 mm x 500 mm (16"x20")
Power	230v, 502 Hz, 3.5 HP
Heater	2.5 KW / 12 Amps / Bed
Temperature	220°C
Timer	0 to 99 Sec
Air Pressure	0 - 8 Bar
Air Consumption / Min	5.22 cfm at 6 bar
No of Heater Beds	2 ( Top & Bottom )

## FEATURES

- Suitable for Embossing.
- Micro Control Based Digital Temperature & timer Control.
- Separate Temperature Controller for Both Heater Bed.
- Safety to Operate.
- Easy to Visible for Cloth Spreading.
- Uniform Pressure.

# CHERAN'S CROWN

## 6 Station Auto Fusing Machine



### TECHNICAL SPECIFICATION

Model	CCAF 1620
Platen size	16"x20"
Heater	3kw/13Amps/bed
Temperature	220 Degree celcius
Air pressure	0-8bar
Air consumptions	2.2Cfm/Minute at 8bar
Number of Heater bed	2
No.of bottom bed	6
Speed	2sec approx from one Pallet to another

### FEATURES

- Plc controller for precise temperature & timer.
- Hmi for easy interaction with the machine.
- Servo drive for better positioning control.
- Normal , semi auto , full auto modes for easy operation.
- Two station individual operating system also available.
- Real time monitoring with shift wise & batch wise production data.
- Pre settings for batch quantity can be loaded immediately for production.
- Automatic double stroke operation and production monitoring.
- Automatic service intimation system available.
- Provision for problem display in case of any failure in machine.

# CHERAN'S T-REX 3 Station Auto Fusing Machine



## TECHNICAL SPECIFICATION

Model	CRAF 2030 / CRAF 2430
Platen Size	20" X 30" / 24" X 30"
Heater	3.5 KW / 15 AMPS 4 KW / 17 AMPS
Temperature	220 C
Air Pressure	0-8 BAR
Air Consumption	4 CFM/ MINUTE AT 8 BAR
Number of Heater Bed	1
No of Bottom Bed	3

## FEATURES

- HMI for easy interaction with the machine.
- Fast continuous production.
- Suitable for sublimation & fusing.
- Pre settings for batch quantity can be loaded immediately for production.
- Safety frame provided to protect operators.
- Automatic double stroke operation & production monitoring.

# CHERAN'S FALCON

## 6 Station Auto Fusing Machine



### TECHNICAL SPECIFICATION

MODEL	CFAF0606
PLATEN SIZE	6" X 6"
HEATER	0.7KW/3 AMPS/BED
TEMPERATURE	220 C
AIR PRESSURE	0-8 BAR
AIR CONSUMPTION	0.72 CFM/ MINUTE AT 8 BAR
NUMBER OF HEATER BED	2
NO OF BOTTOM BED	6
SPEED	1 SEC APPROX FROM ONE PALLET TO ANOTHER

### FEATURES

- HMI for easy interaction with the machine.
- PLC controller for precise temperature & timing.
- Servo drive for better positioning control.
- Double heater bed to fuse two jobs at a time for better productivity.
- Normal, semi auto & full auto modes for easy operation.
- Two station individual operating system also available.
- Real time monitoring with shift wise & batch wise production data.
- Pre settings for batch quantity can be loaded immediately for production.
- Automatic double stroke operation & production monitoring.
- Automatic service intimation system available.
- Provision for problem display in case of any failure in machine.

# CHERAN'S H & C HEAT & COOL FUSING



## TECHNICAL SPECIFICATION

Model	C31 Heater	C31 Chiller
Power supply	Ac 230V 50Hz	Ac 230V 50Hz
heater power (w)	700w	600w
Cylinder dia (Q)	100 mm	Flowrate 5 lpm & 0.25 bar
Compressed air(Mpa)	0 - 8 bar	Tank volume 7 ltrs
Air Consumption	6.78 cfm	Media water
Temperature	Maximam 220°c	Cooling Temperature 18°C
Heater bed size	300 x 100 (13" x 5")	-
Cooling bed size	300 x 100 (13" x 5 ")	-
Dimension LXWXH	650 x 650 x 1260 mm	280 W x 600 D x 700 H
Net weight	115kg	80 kg

## FEATURES

- HMI for easy interaction with the Machine.
- PLC controller for precise Temperature & Timing.
- Fast continuous production.
- Machine comes along with Chiller Unit.
- Individual control of Hot and Cold Operation.
- Simultaneous Automatic Hot & Cold Operation.
- Robust construction.
- Real time monitoring with Shift wise & Batch wise production data.



# CHERAN'S SINGLE HEAD AUTO PRINT



## TECHNICAL SPECIFICATION

Model	C30
Max print area	10 " x 15 "
Vacuum bed	20 " x 18 "
Vacuum Bed Movement	+ or - 7mm
Screen Frame Size	Max 26"x 20" Min 20" x 12"
Max Off - Contact	5mm
Max substrate Thickness	3mm
Screen Frame Thickness	1.0 " ~ 1.5 "
Squeegee Holder	17 "
Flood Coater	19"
Power Consumption	220v AC Single Phase, 2amps, 50Hz 0.75HP
Weight	150kg
Dimensions ( LXWXH)	34"x 30 " x 30"

## FEATURES

- Ease operation.
- Precise and Smooth Squeegee operation.
- Foot switch operated.
- With Vacuum Bed.
- With HMI Control.
- With Flood Bar Pressure control.
- With Safety features.



## CHERAN MACHINES INDIA PVT.LTD.

### SALES AND SERVICE NETWORK

---

#### CHERAN MACHINES INDIA PVT.LTD.

An ISO 9001 Company

142/3, Bharathi Street, Udayampalayam Main Road,  
Chinnavedampatti Post, Coimbatore – 641049.

Tamilnadu. India

Ph: + 91-422-2667691 / 92 / 90

Email: [marketing@cheranmachines.com](mailto:marketing@cheranmachines.com) | [cheran@cheranmachines.com](mailto:cheran@cheranmachines.com)  
[sales@cheranmachines.com](mailto:sales@cheranmachines.com)

---

#### TIRUPUR

D.No.34, Mullai Street, Asher Nagar , Avinashi Road,Tirupur – 641603

Mobile : + 91 98433 12053, + 91 98433 32054, + 91 98940 12054.

Landline : +91- 421- 4330054

Email: [tiruppur@cheranmachines.com](mailto:tiruppur@cheranmachines.com)

---

#### MUMBAI

Mobile: + 91 78688 12054, +91 98430 12054, +91 98432 12054

Email: [marketing@cheranmachines.com](mailto:marketing@cheranmachines.com)



### DEALERS NETWORK

#### NEW DELHI & LUDHIANA

Mobile: + 91 98106 28231, +91 98101 56641  
+91-11-43232525

---

#### KOLKATA

Mobile: + 91 98300 43751, +91 93397 56565, 81002 80011

---

#### INDORE

Mobile: + 91 98430 12054, 98432 12054, 98439 12054

---

#### SURAT

Mobile: + 91 98430 12054, 98432 12054, 78688 12054

---

#### OVERSEAS

---

#### SRI LANKA

+94 11 2817481 / 2828508



# SPREADING COLOURS

Manufacturers & Exporters

**CHERAN MACHINES INDIA PVT. LTD.,**

AN ISO 9001 COMPANY

#142/3, Bharathi Street, Udayampalayam Main Road,

Chinnavedampatty Post, Coimbatore - 641 049. Tamil Nadu. INDIA

+91 422 2667691 / 92 / 90

Email: [marketing@cheranmachines.com](mailto:marketing@cheranmachines.com), [sales@cheranmachines.com](mailto:sales@cheranmachines.com)

[cheran@cheranmachines.com](mailto:cheran@cheranmachines.com)

[www.cheranmachines.com](http://www.cheranmachines.com)

follow us      