


**FLY ASH BRICK, CONCRETE BLOCK
AND
PAVER BLOCK MACHINERY
& EQUIPMENT**



“

**THE EXPERTISE
YOU WANT
THE SUPPORT
YOU NEED
THE VALUE
YOU DEMAND**



FIRST TIME IN INDIA (LATEST GERMAN TECHNOLOGY 4 IN 1 MODEL)

HIGH VIBRATION WITH PRESSURE MACHINE



+91 - 99042 01922
+91 - 98984 74351



www.paverblockmachinery.com
www.brickmachinery.in




FULLY AUTOMATIC FLY ASH BRICK / PAVER BLOCK / CONCRETE BLOCK MACHINE

(LATEST GERMAN TECHNOLOGY 4 IN 1 MODEL)

HEAVY VIBRO WITH PRESSURE MACHINE

Model : FAM - 2520
14 BRICKS



ADVANTAGES

SR. No.	PARTICULARS	IMAGE	SIZE	Pcs/Mould	PCs/Hr
1	FLY ASH BRICKS		230 X 110 X 75 MM 9 x 4 x 3 Inch	14	3360
2	FLY ASH BRICKS		250 X 125 X 75 MM 10 x 5 x 3 Inch	12	2880
3	ZIG ZAG PAVER BLOCK		225 X 112.5 X 80 MM	12	2880
4	SOLID CONCRETE BLOCK		400 X 200 X 200 MM 16 x 8 x 8 Inch	06	1440
5	HOLLOW CONCRETE BLOCK		400 X 200 X 200 MM 16 x 8 x 8 Inch	06	1440

**FULLY AUTOMATIC FLY ASH BRICK /
PAVER BLOCK / CONCRETE BLOCK MACHINE**
(LATEST GERMAN TECHNOLOGY 4 IN 1 MODEL)

HEAVY VIBRO WITH PRESSURE MACHINE

Model : FAM - 2160
12 BRICKS

- » Bricks Press Type: Automatic Hydraulic Bricks with HIGH VIBRATION Technology
- » Bricks Press Body: Heavy Duty Window type Body Fabricated from PIPE
- » Bricks Size(mm): 230 (L) X 110 (W) X 75 (H)
Size Option Available

Technical Specification

- » Bricks Press Capacity: 23040 Per Shift
- » Bricks per Stroke: 12 Bricks
- » Trolley Feeder Motor: 2 HP / 1.5 KW
- » Pallet Feeding: Automatic
- » Pallet Size: 610 X 850 X 25 mm
- » Total Power: 49.5 HP / 37 KW
- » Bricks Press Tonnage: 180 MT Max.
- » Hydraulic Valves: YUKEN Make / 24 DC
- » High Pressure Pump: YUKEN Make VAN Pump
- » High Flow Pump: YUKEN Make VAN Pump
- » Control Panel: PLC with Touch Screen (HMI)
- » Vibrator Motor: 7.5 HP X 2 = 15HP / 11.18 KW
- » Hydraulic Motor: 12.5 HP / 9.3 KW
- » Hyd.Oil Tank Capacity: 400 Itrs
- » Oil Cooling: Water Cooling

ADVANTAGES

SR. No.	PARTICULARS	IMAGE	SIZE	Pcs/Mould	PCs/Hr
1	FLY ASH BRICKS		230 X 110 X 75 MM 9 x 4 x 3 Inch	12	2880
2	FLY ASH BRICKS		250 X 125 X 75 MM 10 x 5 x 3 Inch	10	2400
3	ZIG ZAG PAVER BLOCK		225 X 112.5 X 80 MM	10	2400
4	SOLID CONCRETE BLOCK		400 X 200 X 200 MM 16 x 8 x 8 Inch	04	960
5	HOLLOW CONCRETE BLOCK		400 X 200 X 200 MM 16 x 8 x 8 Inch	04	960

FULLY AUTOMATIC FLY ASH BRICK / PAVER BLOCK / CONCRETE BLOCK MACHINE

(LATEST GERMAN TECHNOLOGY 4 IN 1 MODEL)

HEAVY VIBRO WITH PRESSURE MACHINE

Model : FAM-1800
10 BRICKS



Technical Specification

- » Bricks Press Type: Automatic Hydraulic Bricks with HIGH VIBRATION Technology
- » Bricks Press Body: Heavy Duty Window type Body
Fabricated from PIPE
- » Bricks Size(mm): 230 (L) X 110 (W) X 75 (H)
Size Option Available

- » Bricks Press Capacity: 19200 Per Shift
- » Bricks per Stroke: 10 Bricks
- » Trolley Feeder Motor: 2 HP / 1.5 KW
- » Pallet Feeding: Automatic
- » Pallet Size: 610 X 710 X 18 mm
- » Total Power: 39.5 HP / 29.5 KW
- » Bricks Press Tonnage: 180 MT Max.
- » Hydraulic Valves: YUKEN Make / 24 DC
- » High Pressure Pump: YUKEN Make VAN Pump
- » High Flow Pump: YUKEN Make VAN Pump
- » Control Panel: PLC with Touch Screen (HMI)
- » Vibrator Motor: 7.5 HP / 5.6 KW
- » Hydraulic Motor: 10 HP / 7.5 KW
- » Hyd.Oil Tank Capacity: 400 ltrs
- » Oil Cooling: Water Cooling

ADVANTAGES

SR. No.	PARTICULARS	IMAGE	SIZE	Pcs/Mould	PCs/Hr
1	FLY ASH BRICKS		230 X 110 X 75 MM 9 x 4 x 3 Inch	10	2400
2	FLY ASH BRICKS		250 X 125 X 75 MM 10 x 5 x 3 Inch	08	1920
3	ZIG ZAG PAVER BLOCK		225 X 112.5 X 80 MM	08	1920
4	SOLID CONCRETE BLOCK		400 X 200 X 200 MM 16 x 8 x 8 Inch	03	720
5	HOLLOW CONCRETE BLOCK		400 X 200 X 200 MM 16 x 8 x 8 Inch	03	720

FULLY AUTOMATIC FLY ASH BRICK / PAVER BLOCK / CONCRETE BLOCK MACHINE

(LATEST GERMAN TECHNOLOGY 4 IN 1 MODEL)

HEAVY VIBRO WITH PRESSURE MACHINE

Model : FAM-1440
8 BRICKS

- » **Bricks Press Type:** Automatic Hydraulic Bricks with HIGH VIBRATION Technology
- » **Bricks Press Body:** Heavy Duty Window type Body Fabricated from PIPE
- » **Bricks Size(mm):** 230 (L) X 110 (W) X 75 (H)
Size Option Available
- » **Auto Brick Stacker Available if Required**

Technical Specification

- » **Bricks Press Capacity:** 15380 Per Shift
- » **Bricks per Stroke:** 8 Bricks
- » **Trolley Feeder Motor:** 2 HP / 1.5 KW
- » **Pallet Feeding:** Automatic
- » **Pallet Size:** 610 X 610 X 18mm
- » **Total Power:** 39.5 HP / 29.5 KW
- » **Bricks Press Tonnage:** 150 MT Max.
- » **Hydraulic Valves:** YUKEN Make / 24 DC
- » **High Pressure Pump:** YUKEN Make VAN Pump
- » **High Flow Pump:** YUKEN Make VAN Pump
- » **Control Panel:** PLC with Touch Screen (HMI)
- » **Vibrator Motor:** 7.5 HP / 5.6 KW
- » **Hydraulic Motor:** 10 HP / 7.5 KW
- » **Hyd.Oil Tank Capacity:** 400 Itrs
- » **Oil Cooling:** Water Cooling

ADVANTAGES

SR. No.	PARTICULARS	IMAGE	SIZE	Pcs/Mould	PCs/Hr
1	FLY ASH BRICKS		230 X 110 X 75 MM 9 x 4 x 3 Inch	08	1920
2	FLY ASH BRICKS		250 X 125 X 75 MM 10 x 5 x 3 Inch	06	1440
3	ZIG ZAG PAVER BLOCK		225 X 112.5 X 80 MM	06	1440
4	SOLID CONCRETE BLOCK		400 X 200 X 200 MM 16 x 8 x 8 Inch	02	720
5	HOLLOW CONCRETE BLOCK		400 X 200 X 200 MM 16 x 8 x 8 Inch	02	720



FULLY AUTOMATIC FLY ASH BRICK / PAVER BLOCK / CONCRETE BLOCK MACHINE

(LATEST GERMAN TECHNOLOGY 4 IN 1 MODEL)

HEAVY VIBRO WITH PRESSURE MACHINE

Model : FAM-1080
6 BRICKS



- » Bricks Press Type: Automatic Hydraulic Bricks with HIGH VIBRATION Technology
- » Bricks Press Body: Heavy Duty Window type Body
Fabricated from PIPE
- » Bricks Size(mm): 230 (L) X 110 (W) X 75 (H)
Size Option Available
- » Auto Brick Stacker Available if Required

Technical Specification

- » Bricks Press Capacity: 11500 Per Shift
- » Bricks per Stroke: 6 Bricks
- » Trolley Feeder Motor: 2 HP / 1.5 KW
- » Pallet Feeding: Automatic
- » Pallet Size: 510 x 610 x 19 mm
- » Total Power: 29.5 HP / 22 KW
- » Bricks Press Tonnage: 100 MT Max.
- » Hydraulic Valves: YUKEN Make / 24 DC
- » High Pressure Pump: YUKEN Make VAN Pump
- » High Flow Pump: YUKEN Make VAN Pump
- » Control Panel: PLC with Touch Screen (HMI)
- » Vibrator Motor: 5 HP / 3.1 KW
- » Hydraulic Motor: 7.5 HP / 5.6 KW
- » Hyd.Oil Tank Capacity: 380 ltrs
- » Oil Cooling: Water Cooling
- » Pan Mixer : 1 No.

ADVANTAGES

SR. No.	PARTICULARS	IMAGE	SIZE	Pcs/Mould	PCs/Hr
1	FLY ASH BRICKS		230 X110 X75 MM 9 x 4 x 3 Inch	06	1440
2	FLY ASH BRICKS		250 X 125 X 75 MM 10 x 5 x 3 Inch	04	960
3	ZIG ZAG PAVER BLOCK		225 X 112.5 X 80 MM	04	960
4	SOLID CONCRETE BLOCK		400 X 200 X 200 MM 16 x 8 x 8 Inch	02	480
5	HOLLOW CONCRETE BLOCK		400 X 200 X 200 MM 16 x 8 x 8 Inch	02	480

**FULLY AUTOMATIC
FLY ASH BRICK / PAVER BLOCK MACHINE**

HIGH PRESSURE MACHINE

**Model : FAM-1008
4 BRICKS**

- » **Bricks Press Type:** Automatic Hydraulic Bricks with HIGH PRESSURE Technology
- » **Bricks Press Body:** Heavy Duty Window type Body Fabricated from Plate


Technical Specification

- » **Bricks Press Capacity:** 10000 Per Shift
- » **Bricks per Stroke:** 4 Bricks
- » **Trolley Feeder Motor:** 2 HP / 1.5 KW
- » **Pallet Feeding:** Automatic
- » **Pallet Size:** 500 X 325 X 19 mm
- » **Total Power:** 21.5 HP / 37 KW
- » **Bricks Press Tonnage:** 150 MT Max.
- » **Hydraulic Valves:** YUKEN Make / 24 DC
- » **High Pressure Pump:** YUKEN Make VAN Pump
- » **High Flow Pump:** YUKEN Make VAN Pump
- » **Control Panel:** PLC with Touch Screen (HMI)
- » **Hydraulic Motor:** 10 HP / 7.5 KW
- » **Hyd.Oil Tank Capacity:** 400 ltrs
- » **Oil Cooling:** Water Cooling
- » **Pan Mixer :** 1 No.

ADVANTAGES

SR. No.	PARTICULARS	IMAGE	SIZE	Pcs/Mould	PCs/Hr
1	FLY ASH BRICKS		230 X110 X75 MM 9 x 4 x 3 Inch	04	1680
2	FLY ASH BRICKS		250 X 125 X 75 MM 10 x 5 x 3 Inch	03	1260
3	ZIG ZAG PAVER BLOCK		225 X 112.5 X 80 MM	03	1260
4	I SHAPE PAVER BLOCK		200 X 165 X 60 MM 200 X 165 X 80 MM	03	1260

Pan Mixer



Vibrator Table



Color Mixer Top Layer

(Gear Type)



Pan Mixer (Scraper Type)



Semi Automatic Brick Making Machine



+91 - 99042 01922
+91 - 98984 74351



No. 1
Fast & Reliable
Service Support



Best
Performance
In Brick
Industry



100%
Customer
Satisfaction



OUR HELPING HANDS

ESSAR

TATA

ABB

Schneider
Electric

DUNLOP

Rexroth
Bosch Group

TRUST SEAL
indiamart

Crompton
Greaves
EVERYDAY SOLUTIONS

DELTA

DOWTY

ELECON
GEARING THE FUTURE

SKF

Unbrako
THE WORLD LEADER

YUKEN

31
GRADE



एक कदम स्वच्छता की ओर

An ISO 9001:2015 Certified Company



HARDIC ENGINEERING

Office Address

C-1, 77/1, Kaka Estate, Ambica nagar Road,
Nr. National Plastic, Odhav,
Ahmedabad - 382415, Gujarat, India

Cell

+91-99042 01922
+91-98984 74351
+91-99044 43627

Email

hardicengineering@gmail.com
mixwellindia@gmail.com



HARDIC MACHINERY

Factory Address

24, Shreeiji Estate, Near Sankalp Estate,
Bakrol, Ahmedabad - 382346

Website

www.paverblockmachinery.com
www.flyash-machinery.com
www.brickmachinery.in