

Company Profile

Briefly introducing ourselves as an **ISO 9001-2008 CERTIFIED**, leading manufacturer & exporter of the complete range of precision Brass Turned Components. We are fully skilled to manufacture any type of **Brass Products** as per customer's specification, drawing and samples.

Mahavir Agencies originated almost two decade ago from the **brass city of India**, Jamnagar where factory is situated. Latest machinery, well trained staff, continuous R & D towards complete perfect ness and maintenance of a sustained and routine inspection and testing regimen that has gone a long way towards building product integrity and client trust in the Company's **products**.

Innovative ideas and R& D is our continuous process for the betterment of quality and cost cutting benefiting to our clients.

With backing of sales office at **Mumbai, Pune and Ahemdabad in India** and at New Jersey (USA) , Muscat (Sultanate of Oman), we are always nearest and fastest available for our clients. **Our perfect** blend for strong commitment to the best quality and customer services, are the precise reason why we have large customer base all over India & abroad. This puts us a step ahead in position.

Our Products are widely consumed in..

Punumatic & Compression Fitting Parts, Automobile Components, Plastic & Rubber Moulding Industrial Parts, Electrical & Electronics Fittings, Fasteners & Forging Industries, Diamond & Gold Smith Industries, Special Tailor Made Jobs.

CAPACITY	1mm DIAMETER to 300mm DIAMETER.
Material Grade Available	IS 319, IS 320, BS 249, CZ 121 , CZ 131 , C3604, CDA 360, and DTD 627. etc
Finish And Coating	Natural, Nickel Plated, Tin Plated or any coating as per customer specification

Power Sanctioned	25 HP
Floor Space	4000 Sq. Ft.
Covered Space	2000 Sq. Ft.

No. of Employees	26
Name of the Bankers	State Bank of Saurashtra, Ranjit Road, Main Branch Jamnagar & ICICI Bank - Jamnagar Branch.

List of Machineries We Have :

- S.P.M. Turning (Accurate/Geedee Brand) 17 Nos.
- Threading (in steel) 12 & 15 mm (Thakur Brand) 6 Nos.
- Drilling 12 & 20 mm (Nav Bharat Brand) 3 Nos.
- Milling M/C/ (Nav Bharat Brand) 2 Nos.
- PMT (2nd Operation) THV-25 (6 Tools-2 Slides) 1" (PMT) 6 Nos.
- Slotting M/c. (New Bharat Brand) 2 Nos

Key Persons	
Name	Departments
Deepak Mehta	Marketing Executive
Narottam Kachetiya	Office Manager
Kamlesh Patel	Eac. Manager
Milan Parikh	Factory Engineer
Mohamad Ghata	A/c. Manager



Quality

Quality is our prime motto. We achieve total customer satisfaction by continually improving the effectiveness of Quality Management system and meeting statutory and regulatory requirements with following parameters :

Our Policy

- Inspection of strict visual chemical properties like copper, zinc and other elements.
- Inspection of strict visual physical properties like tensile, elongation, izod and hardness.
- Statical process control through venier caliper, micro meter, thread pitch micro meter, go and not go ring gauges and plug gauges.
- Strict visual inspection.
- Final inspection at the time of shipment with statically measuring technologies like, mean standard deviance etc.

Calibration :

- Each and every Instrument and Gauges are periodically calibrated, to ensure integrity of measurement preventive.

Maintenance :

- Company had documented procedure to conduct the preventive maintenance of each and every machinery and instruments.

Training :

- It is the all time practice of the company to train the entire staff at regular interval to keep updated the strength of the company to produce the excellent quality of the products that meets with the highest level of the customer satisfaction as all the time

List of Measuring Instruments :**Measuring Instruments**

Sr. No.	Measuring Instruments	Company	Capacity in mm with least	Nos.
1	Micro Meter	Mitutoyo	0-25 / 0.01	10
2	Micro Meter	Mitutoyo	25-50 / 0.01	2
3	Mico Meter	Mitutoyo	50-75 / 0.01	2
5	Digital Micro Meter	Mitutoyo	0-25 / 0.001	1
6	Blade Micro Meter	Mitutoyo	0-25 / 0.01	2
7	Pitch Micro Meter	Mitutoyo	0-25 / 0.01	1
9	Dial Caliper	Mitutoyo	0-150 / 0.05	7
10	Dial Caliper	Mitutoyo	0-300 / 0.05	1
11	Vernier Caliper	Mitutoyo	0-600 / 0.02	1
12	Digital Dial Caliper	Mitutoyo	0-150 / 0.01	1
13	Dial Gauge	Mitutoyo	0-10 / 0.01	5
14	Dial Gauge	Mitutoyo	0-01 / 0.001	2
15	Dial Indicator	Mitutoyo	0-0.50 / 0.01	1
16	Dial Indicator	Mitutoyo	0-0.10 / 0.001	1
25	Radius Gauge	Kristeel	01-5 / 0.50	3
26	Thread Pitch Gauge 60 Angle	Kristeel	0.25-6.00 P.	2
30	Spirit Level	Jafuji-Wyler	200 / 0.02	1
31	Foot Scale	Kristeel	0"-6"-12"-24"	10
32	Measure Tape	Kristeel	0-2000 MM	4
33	Measure Tape	Kristeel	0-15000 MM	1
11	Thread Gauge (Plug and Ring)	HIP/Baker	M2 to M26, BSW, NPT ETC.	49